

Hs 578T | 305089

<b>Description</b>	Hs 578T	Hs 578T
	Hs 578T	Hs 578T
	Hs 578T	(EMT) EMT

**Organism**

<b>Tissue</b>	
---------------	--

**Disease**

<b>Synonyms</b>	HS 578T, Hs-578T, HS-578T, Hs_578t, HS-578-T, HS-578-T, Hs 578.T, HS578T, Hs578T, HS0578T, 578T, HS578, 578 ,
-----------------	---------------------------------------------------------------------------------------------------------------

<b>Age</b>	74
------------	----

**Gender**

<b>Ethnicity</b>	
------------------	--

**Morphology**

<b>Growth properties</b>	
--------------------------	--

<b>Citation</b>	Hs 578T( 305089)
-----------------	------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_0332
-----------------------------	-----------

Hs 578T | 305089

**Receptors expressed** : ,

**Tumorigenic**

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO<sub>3</sub>, w: 1.0mM ( 820300a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Hs 578T | 305089

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C -80°C

/ / HLA

**Sterility** PCR