

L929 | 400260

<b>Description</b>	L-929	100	C3H/An	.1940	,	,
	L-929					
	L-929	TNF		(TNF)		
	L-929			(IBDV)		-
	L-929					

**Organism**

<b>Tissue</b>	,	,	,
---------------	---	---	---

**Synonyms** NCTC 929, NCTC 929, NCTC-929, NCTC929, L , L , L , L , L , L-929, L 929, L929, L929(NCTC), 929, , L

<b>Breed/Subspecies</b>	C3H/An
-------------------------	--------

<b>Age</b>	100
------------	-----

**Gender**

**Morphology**

**Cell type**

**Growth properties**

<b>Citation</b>	L-929(	400260)
-----------------	--------	---------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10090
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_0462
-----------------------------	-----------

L929 | 400260

**Antigen expression** H-2k

**Tumorigenic** ,

**Viruses** ( ):

**Virus resistance** 1, 2, 3, B5,

**Reverse transcriptase**

**Culture Medium** DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion

**Supplements** 10% FBS

**Dissociation Reagent**

**Doubling time** 25

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Seeding density**  $2\sim 3 \times 10^4 / \text{cm}^2$

**Fluid renewal** 2~3

**Post-Thaw Recovery** 24~48

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

L929 | 400260

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere**

37°C, 5% CO<sub>2</sub> .

**Flask Coating**

**Freezing Procedure**

-78°C .

**Shipping Conditions**

-78°C .

**Storage Conditions**

-150°C -196°C .80°C .

/ / HLA

**Sterility**

PCR .