

**Hep-CLS-C9 | 400195**

**Description** C3H/HE : N- (NDEA) 1 C3H/HE :

**Organism**

**Tissue**

**Disease**

**Synonyms** HEP-CLS-C9, C9

**Breed/Subspecies** C3H/HE

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation** Hep-CLS-C9( 400195)

**Biosafety level** 1

**NCBI\_TaxID** 10090

**CellosaurusAccession** CVCL\_5776

**Tumorigenic** , C3H/HE

**Hep-CLS-C9 | 400195**

**Mutational profile** P53

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Seeding density**  $1 \times 10^4 / \text{cm}^2$

**Fluid renewal** 3~5

**Post-Thaw Recovery**  $5 \times 10^4 / \text{cm}^2$  , 24 .

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Hep-CLS-C9 | 400195**

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	.

**Incubation Atmosphere** 37°C, 5%<sub>CO2</sub> .

**Flask Coating**

**Freezing Procedure** -78°C .

**Shipping Conditions** -78°C .

**Storage Conditions** -150°C -196°C .80°C .

/ / HLA

**Sterility** PCR .