

Product sheet

NCI-H2347 | 305139

Description NCI-H2347 (NSCLC) . , ,
p53 ONYX-015 . ONYX-015
, MET EGFR , MET EGFR .

Organism

Tissue

Disease

Synonyms NCI-H2347, H-2347, NCIH2347

Age 54

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H2347(305139)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1550

NCI-H2347 | 305139

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Split ratio 1:2 ~ 1:6

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

NCI-H2347 | 305139

Freezing Procedure	-78°C
---------------------------	-------

Shipping Conditions	-78°C
----------------------------	-------

Storage Conditions	-150°C	-196°C	.80°C
---------------------------	--------	--------	-------

/ / HLA

Sterility	PCR
------------------	-----

- STR**
- Amelogenin:** x,x
 - CSF1PO:** 11
 - D13S317:** 12, 14
 - D16S539:** 11
 - D5S818:** 11
 - D7S820:** 10, 11
 - TH01:** 3 9
 - TPOX:** 8
 - vWA:** 16,19
 - D3S1358:** 16
 - D21S11:** 31, 31.2
 - D18S51:** 12 19
 - Penta E:** 8 19
 - Penta D:** 12
 - D8S1179:** 10,13
 - FGA:** 20,25
 - D1S1656:** 16, 17.3
 - D6S1043:** 14
 - D2S1338:** 17, 19
 - D12S391:** 19,2
 - D19S433:** 13, 15