

**BALB/3T3 A31 | 305155**

<b>Description</b>	1968 S.A. G.T. BALB/3T3 A31 14 ~17 BALB/c
	BALB/3T3 A31

**Organism**

<b>Tissue</b>	Embryo
---------------	--------

**Synonyms** BALB/c 3T3 A31, Balb/c3T3, BALB/c 3T3, Balb/c 3T3, BALB/3T3, Balb/3T3-4-CI31, 3T3 A31, BALB/3T3 cl. A31, BALB 3T3 A31, BALB/3T3( A31), B/C3T3, 3T3-A31, 3T3(A31), A31, A31N

<b>Breed/Subspecies</b>	BALB/c
-------------------------	--------

**Age** , 14~17

<b>Morphology</b>
-------------------

**Growth properties**

<b>Citation</b>	BALB/3T3 A31( 305155)
-----------------	-----------------------

**Biosafety level** 2

<b>NCBI_TaxID</b>	10090
-------------------	-------

**CellosaurusAccession** CVCL\_0184

<b>Tumorigenic</b>
--------------------

**BALB/3T3 A31 | 305155**

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM ( 820300a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO2' .

**Flask Coating**

**Freezing Procedure** -78°C .

**BALB/3T3 A31 | 305155**

**Shipping  
Conditions**

-78°C

**Storage  
Conditions**

-150°C -196°C

.80°C

/ / **HLA**

**Sterility**

PCR