

MDBK(NBL-1) | 600396

Description	
-	MDBK (NBL-1)
MDBK	
MDBK	5 2 V 1 2(STAT1 STAT2)
2	24~35 ,MDBK .MDBK 1957 2 18 ,S.H. Madin N.B. Darby
MDBK	51 , 2n = 60 ,2S 5%
MDBK	.3D ,MDBK 1,
MDBK	() , , , 2 3,

Organism

Tissue

Synonyms - , - ,MDBK(NBL-1), NBL-1

Breed/Subspecies

Age

Gender

Morphology

Growth properties

Citation MDBK(NBL-1)(600396)

Biosafety level 1

NCBI_TaxID 9913

CellosaurusAccession CVCL_0421

MDBK(NBL-1) | 600396

Viruses (BVD) .

Virus susceptibility , (), , , I III, 3 .

Virus resistance 2

Reverse transcriptase

Products

Culture Medium EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS(820100a)

Supplements 10% FBS 1% NEAA

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 3

Post-Thaw Recovery

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

MDBK(NBL-1) | 600396

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	.

Incubation Atmosphere 37°C, 5%_{CO2} .

Flask Coating

Freezing Procedure -78°C .

Shipping Conditions -78°C .

Storage Conditions -150°C -196°C .80°C .

/ / HLA

Sterility PCR .