

HEK293 EBNA | 300264

Description	HEK293 EBNA	HEK293	.	-	-1(EBNA-1)
	HEK293 EBNA	,	HEK293	.	EBNA-1

Organism

Tissue

Synonyms HEK293-EBNA, 293 c18, 293c18, HEK 293 c18, HEK-293 c18, HEK293-EBNA1, HEK-293-EBNA, HEK 293-EBNA, HEK 293 EBNA, HEK293EBNA, 293 EBNA, 293-EBNA1, 293-EBNA, 293/EBNA, 293EBNA, EBNA-293, EBNA293, HEK293E, HEK/EBNA, HEK-EBNA, HEK.EBNA, 293/EBNA-1, 298E

Age

Gender

Morphology

Growth properties

Citation	HEK293 EBNA(300264)
-----------------	--------------	---------

Biosafety level	2
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_6974
-----------------------------	-----------

GMO Status	GMO-S1: HEK293 EBNA	EBV	(EBNA)	EBV	,
-------------------	---------------------	-----	--------	-----	---

HEK293 EBNA | 300264

Antigen expression EBNA1

Viruses 5(), EBV(EBNA1)

Culture Medium DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

HEK293 EBNA | 300264

Flask Coating

**Freezing
Procedure**

-78°C

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility

PCR