

J774A.1 | 400220

Description	
J774A.1	BALB/c/NIH
J774A.1	, p- (PPD), (LPS) . J774A.1
J774A.1 17	RAW 264.7 . J774A.1 -1(IL-1) (lysozyme)
J774A.1	[1,5-a]
J774A.1	,

-1

Organism

Tissue

Disease

Synonyms J-774A.1, J774A1, J774A1, J774A.1, J 774A.1, J774 A.1

Breed/Subspecies BALB/c

Age

Gender

Cell type

Growth properties /

Citation J774A.1(400220)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_0358

J774A.1 | 400220

Receptors expressed (Fc), (C3)

Products -1(1, IL-1, LAF),

Culture Medium DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)

Supplements 10% FBS

Dissociation Reagent

Subculturing . 15ml PBS (T25 3~5ml, T75

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

J774A.1 | 400220

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere

37°C, 5% CO₂

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR