

SK-N-BE(2) | 305058

Description $6/cm^2$. SK-N-BE(2) , 1x10 .

Organism

Tissue

Disease

Metastatic site

Synonyms SK-N-BE2, SK-N-BE-2, SKNBE(2), SKNBE-2, SKNBE2, SK-N-BE, SKNBE

Age 2

Gender

Ethnicity

Morphology

Growth properties /

Citation SK-N-BE(2)(305058)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0528

Tumorigenic

SK-N-BE(2) | 305058

Culture Medium EMEM F12 50:50 (820100a 820600a)

Supplements 10% FBS

Dissociation Reagent

Subculturing 15ml PBS (T25 3~5ml, T75 5~10ml).

Fluid renewal 2~3

Freeze medium 50% + 40% FBS + 10% DMSO CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating

SK-N-BE(2) | 305058

**Freezing
Procedure**

-78°C

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility

PCR