

RCC-HB | 300253

**Description** 63 , 1999 , HLA-A2 , PAS , VHL-gen pT3a, Mo, No/ GI-II

**Organism**

**Tissue**

**Disease** , pT3a, Mo, No, GI-II

**Synonyms** KTCTL-48, KTCTL48, RCCHB

**Age** 63

**Gender**

**Ethnicity**

**Morphology**

**Growth properties** ,

**Citation** RCC-HB( 300253)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_5877

**Surface antigens** 8,18,19,

RCC-HB | 300253

**Protein expression** P53 , IL8

**Tumorigenic** ,

**Mutational profile** IL8 RS1126647 3-UTR SNP T>T

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 1~2

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

RCC-HB | 300253

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

Flask Coating	
.	.

**Freezing Procedure** -78°C .

Shipping Conditions	
-78°C	.

**Storage Conditions** -150°C -196°C .80°C .

/ / HLA

Sterility	
PCR	.
.	.

RCC-HB | 300253

---

**HLA**

**A\***: '31:01:02, '66:01:01

**B\***: '35:03:01, '41:02:01

**C\***: '12:03:01, '17:03:01

**DRB1\***: '01:01:01, '13:03:01

**DQA1\***: '01:01:01, '05:05:01

**DQB1\***: '03:01:01, '05:01:01

**DPB1\***: '06:01:01, '104:01:01

**E**: '01:03:02