

WEHI-164 | 400438

Description	WEHI-164	3-	BALB/c	
	WEHI-164			(TNF) TR
		WEHI-164		

Organism	
Disease	

Synonyms	WEHI 164, WEHI164, WEHI 164 TC
-----------------	--------------------------------

Breed/Subspecies	BALB/c
-------------------------	--------

Morphology	
Cell type	

Growth properties	
--------------------------	--

Citation	WEHI-164(400438)
-----------------	-----------	---------

Biosafety level	1
------------------------	---

NCBI_TaxID	10090
-------------------	-------

CellosaurusAccession	CVCL_2251
-----------------------------	-----------

Tumorigenic	, Balb/c
--------------------	----------

WEHI-164 | 400438

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 2~3

Post-Thaw Recovery $5 \times 10^4 / \text{cm}^2$, 48 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

WEHI-164 | 400438

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR