

WEHI-164 | 400438

Description	WEHI-164	3-	BALB/c	.
	WEHI-164			(TNF) TR
		WEHI-164		.

Organism

Disease

Synonyms WEHI 164, WEHI164, WEHI 164 TC

Breed/Subspecies	BALB/c
-------------------------	--------

Morphology

Cell type

Growth properties

Citation	WEHI-164(400438)
-----------------	-----------	---------

Biosafety level 1

NCBI_TaxID	10090
-------------------	-------

CellosaurusAccession CVCL_2251

Tumorigenic	, Balb/c
--------------------	----------

WEHI-164 | 400438

Culture Medium	RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)
-----------------------	--

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	
-----------------------------	--

Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
---------------------	---------------------------------------

Seeding density	$1 \times 10^4 / \text{cm}^2$
------------------------	-------------------------------

Fluid renewal	2~3
----------------------	-----

Post-Thaw Recovery	$5 \times 10^4 / \text{cm}^2$, 48 .
---------------------------	--------------------------------------

Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
----------------------	---

Thawing and Culturing Cells	1. .
	2. -150°C , 3 .
	3. 37°C 40~60 .
	4. , 70% .
	5. 8ml 15ml .
	6. 300 x g 3 .
	7. 10ml . T25 , T25
	8. .

Incubation Atmosphere	37°C, 5% CO2' .
------------------------------	-----------------

WEHI-164 | 400438

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR