

TE-671 | 300355

**Description** TE671

**Organism**

**Tissue**

**Disease**

**Synonyms** TE671, TE 671, TE671/RD

**Age** 7

**Gender**

**Morphology**

**Growth properties**

**Citation** TE-671( 300355)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellSaurusAccession** CVCL\_1756

**Receptors expressed** ,

**Antigen expression** +, +, -(MNF-116)

TE-671 | 300355

<b>Karyotype</b>	2n=47, 42% 48		
<b>Culture Medium</b>	DMEM, w: 4.5g/L	, w: 4mM L-	, w: 3.7g/L NaHCO <sub>3</sub> , w: 1.0mM ( 820300a)
<b>Supplements</b>	10% FBS		
<b>Dissociation Reagent</b>			
<b>Subculturing</b>	PBS	. T25	3~5ml, T75 5~10ml PBS . T25
<b>Seeding density</b>	1 x 10 <sup>4</sup> /cm <sup>2</sup>		
<b>Fluid renewal</b>	2~3		
<b>Post-Thaw Recovery</b>	4 5 x 10 <sup>4</sup> /cm <sup>2</sup>	,	24 .
<b>Freeze medium</b>	50%	+ 40% FBS + 10% DMSO	CM-1(Cytion 800100)

TE-671 | 300355

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3
3.	37°C 40~60
4.	, 70%
5.	8ml 15ml
6.	300 x g 3
7.	10ml T25 , T25
8.	.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

Flask Coating	
	.

**Freezing Procedure** -78°C

Shipping Conditions	
	-78°C

**Storage Conditions** -150°C -196°C .80°C

/ / HLA

Sterility	
	PCR
	.