

L5178-R | 400258

**Description**

L5178-R

L5178-R

**Organism**

**Tissue**

**Disease**

**Synonyms**

L5178Y-R, L5178YR, L-5178-Y-R, LY-R, LYR

**Breed/Subspecies**

DBA/2

**Morphology**

**Cell type**

T

**Growth properties**

**Citation**

L5178-R( 400258)

**Biosafety level**

1

**NCBI\_TaxID**

10090

**CellosaurusAccession**

CVCL\_4234

**Tumorigenic**

DBA/2

**L5178-R | 400258**

|                                    |  |
|------------------------------------|--|
| <b>Viruses</b>                     | MAP : , , , K- , , 3, PVM, LCM, M. , MVM, GD VII, H-1, MHV, LDV, RCV/SDA, M-   |
| <b>Culture Medium</b>              | RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)   |
| <b>Supplements</b>                 | 10% FBS, 1mM , 1% NEAA   |
| <b>Subculturing</b>                | . 5 x 10 <sup>5</sup> /ml , 3 x 10 <sup>5</sup> ~ 1 x 10 <sup>6</sup> /ml .  |
| <b>Seeding density</b>             | 1 x 10 <sup>6</sup> /ml  |
| <b>Fluid renewal</b>               | 3  |
| <b>Post-Thaw Recovery</b>          | 2~4  |
| <b>Freeze medium</b>               | (FBS ) + 10% DMSO , CM-1(Cytion 800100)  |
| <b>Thawing and Culturing Cells</b> | <ol style="list-style-type: none"> <li>1. .</li> <li>2. -150°C , 3 .</li> <li>3. 37°C 40~60 .</li> <li>4. , 70% .</li> <li>5. 8ml 15ml .</li> <li>6. 300 x g 3 .</li> <li>7. 10ml . T25 , T25</li> <li>8. .</li> </ol> |

L5178-R | 400258

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C -80°C

/ / HLA

**Sterility** PCR