

RG2 | 300649

Description RG2 344 . N- -N- (ENU) RG2 ,
RG2 , , . CDKN2A PDGF, Ras IGF
, , , . RG2 (CED)

Organism

Tissue

Disease

Applications 3D ,

Synonyms RG-2, -2, D74, D74-RG2

Breed/Subspecies 344

Age 20

Gender

Morphology Glial

Growth properties

Citation RG2(300649)

Biosafety level 1

NCBI_TaxID 10116

CellosaurusAccession CVCL_3581

RG2 | 300649

Tumorigenic , CD

Culture Medium DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

RG2 | 300649

Freezing Procedure	-78°C	.
---------------------------	-------	---

Shipping Conditions	-78°C	.
----------------------------	-------	---

Storage Conditions	-150°C	-196°C	.80°C	.
---------------------------	--------	--------	-------	---

/ / HLA

Sterility	PCR	.
------------------	-----	---