

**Product sheet**

**Nalm-6 | 300297**

<b>Description</b>	B (ALL) Nalm-6	Nalm 6 B ALL (HDR)
	Nalm6	mTORC1
	G5 HPRT C9 Nalm-6	
	, Nalm-6	, DNA

**Organism**

**Tissue**

**Disease** B

**Synonyms** NALM-6, NALM 6, NALM 6, NALM6, NALM6, NALM-6-M1

**Age** 19

**Gender**

**Morphology**

**Cell type** B

**Growth properties**

**Citation** Nalm-6( 300297)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_0092

Nalm-6 | 300297

**Reverse transcriptase**

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)

**Supplements** 10% FBS

**Doubling time** 35~40

**Subculturing** .  $5 \times 10^5$  /ml ,  $3 \times 10^5 \sim 1 \times 10^6$  /ml .

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

**Flask Coating**

Nalm-6 | 300297

<b>Freezing Procedure</b>	-78°C	.
---------------------------	-------	---

<b>Shipping Conditions</b>	-78°C	.
----------------------------	-------	---

<b>Storage Conditions</b>	-150°C	-196°C	.80°C	.
---------------------------	--------	--------	-------	---

/ / HLA

<b>Sterility</b>	PCR	.
------------------	-----	---