

RH-35 | 305210

Description H4-II-E(RH-35) H-35 . N-2- ACI
H4-II-E . , ,

Organism

Tissue

Disease

Synonyms H4II, H-35tc2, -H-35 2, H-35 tc2, H35 tc2, H-35 tc2, H35 tc2, RH-35 c2, RH35 c2, H-35 c2, H35 c2

Breed/Subspecies AxC

Gender

Morphology

Growth properties

Citation RH-35(305210)

Biosafety level 1

NCBI_TaxID 10116

CellosaurusAccession CVCL_4623

RH-35 | 305210

Culture Medium F12, w: 1.0mM , w: 1.0mM , w: 1.1g/L NaHCO3(820600a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

Freezing Procedure -78°C .

RH-35 | 305210

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C

.80°C

/ / HLA

Sterility

PCR