Product sheet

RH-35 | 305210

Description	H4-II-E(RH-35) H-35 . N-2- ACI H4-II-E . , ,
Organism	
Tissue	
Disease	
Synonyms	H4II, H-35tc2, -H-35 2, H-35 tc2, H35 tc2, H-35 tc2, H35 tc2, RH-35 c2, RH35 c2, H-35 c2, H35 c2
Breed/Subspecies	AxC
Gender	
Morphology	
Growth properties	
Citation	RH-35 (Cytion 305210)
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_4623

Product sheet

RH-35 | 305210

Culture Medium	F12, w: 1.0mM , w: 1.0mM , w: 1.1g/L NaHCO3(820600a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Split ratio	1:2 ~ 1:4
Fluid renewal	2~3
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	

RH-35 | 305210

Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .