

UM-UC-3 | 305074

Description	UM-UC-3	,	(TCC)	.	
	UM-UC-3	CDKN2A	CDKN2B	.	
	UM-UC-3	,	PI3K/AKT	MAPK	.

Organism
Tissue

Disease			
Synonyms	UMUC-3, UM-UC3, UMUC3, UC-3,	-	-3

Age

Gender

Ethnicity

Morphology

Growth properties

Citation	UM-UC-3(305074)
-----------------	----------	---------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_1783
-----------------------------	-----------

UM-UC-3 | 305074

Tumorigenic

Culture Medium EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS(820100a)

Supplements 10% FBS 1% NEAA

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

UM-UC-3 | 305074

**Freezing
Procedure**

-78°C

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility

PCR