

OS-RC-2 | 305086

Description	OS-RC-2	(RCC)	RCC	.
	OS-RC-2			. OS-RC-2 , 2 13
	OS-RC-2	- (TNF- α)	-6(IL-6)	RCC . TNF- α OS-RC-2 DNA

Organism

Tissue

Disease

Synonyms OSRC2, RC-2

Age 52

Gender

Ethnicity

Morphology

Growth properties

Citation OS-RC-2(305086)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1626

OS-RC-2 | 305086

Tumorigenic

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Split ratio 1:2 ~ 1:4

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

OS-RC-2 | 305086

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR