

SW-579 | 300346

<b>Description</b>	SW-579					(MMP)
		SW-579	BSP		10	MMP-2
	, SW-579	BSP			BSP-MMP-2-	$\alpha\beta3$

**Organism**

<b>Tissue</b>
---------------

**Disease**

<b>Synonyms</b>	SW579, SW 579
-----------------	---------------

<b>Age</b>	59
------------	----

**Gender**

<b>Ethnicity</b>
------------------

**Morphology**

<b>Growth properties</b>
--------------------------

<b>Citation</b>	SW-579( 300346)
-----------------	-----------------

**Biosafety level** 1

<b>NCBI_TaxID</b>	9606
-------------------	------

**CellosaurusAccession** CVCL\_3603

SW-579 | 300346

**Antigen expression** O, Rh+

**Isoenzymes** Me-2, 1-2, PGM3, 1, PGM1, 1-2, ES-D, 1, AK-1, 1, GLO-1, 2, G6PD, B, : 0.0209

**Oncogenes** Myc +, myb +, ras +, fos +, sis +, p53 +, abl -, ros -, src -, N-myc -.

**Tumorigenic** , 3

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

SW-579 | 300346

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3
3.	37°C 40~60
4.	, 70%
5.	8ml 15ml
6.	300 x g 3
7.	10ml T25 , T25
8.	.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

Flask Coating	
	.

**Freezing Procedure** -78°C

Shipping Conditions	
	-78°C

**Storage Conditions** -150°C -196°C .80°C

/ / HLA

Sterility	
	PCR
	.