

WI 38 VA13 2RA | 300421

Description 3 WI-38 WI-38 VA13 2RA WI-38 , , , A
WI-38 SV40 VA13 2RA .

Organism

Tissue

Synonyms WI 38 VA-13 2RA, WI 38VA13 2RA, WI-38 VA13 2 RA, WI38-VA13 2RA, WI38 VA13/2RA, WI38VA13/2RA, VA13 2
WI-38 VA13, WI 38 VA 13, WI38-VA13, WI38/VA13, WI38VA13, VA-13, VA13, AG07217, AG7217

Age 3

Gender

Ethnicity

Morphology

Cell type

Growth properties

Citation WI 38 VA13 2RA(300421)

Biosafety level 2

NCBI_TaxID 9606

CellosaurusAccession CVCL_2759

WI 38 VA13 2RA | 300421

Isoenzymes G6PD, B

Viruses

Virus susceptibility , (), 2

Reverse transcriptase

Karyotype , :73-78

Culture Medium EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO₃, w: EBSS(820100a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 1~2

Post-Thaw Recovery 5×10^2 , 48 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

WI 38 VA13 2RA | 300421

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	.

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating	
.	.

Freezing Procedure -78°C .

Shipping Conditions	
-78°C	.

Storage Conditions -150°C -196°C .80°C .

/ / HLA

Sterility	
PCR	.
.	.