

**FAMPAC-A | 300310**

**Description** FAMPAC . 43 .

**Organism**

**Tissue**

**Disease**

**Synonyms** PA-CLS-13A, PA-CLS 13A

**Age** 43

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** FAMPAC-A( 300310)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_5750

**Antigen expression** FAMPAC-A 12 Kras :GGT( )>GTT( )

**FAMPAC-A | 300310**

**Tumorigenic** ,

**Karyotype**

**Culture Medium** DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO<sub>3</sub> (Cytion 820

**Supplements** 10% FBS

**Dissociation Reagent**

**Doubling time** 32

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Post-Thaw Recovery**  $5 \times 10^4$  , 24 .

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**FAMPAC-A | 300310**

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

**Flask Coating**

**Freezing Procedure** -78°C .

**Shipping Conditions** -78°C .

**Storage Conditions** -150°C -196°C .80°C .

/ / HLA

**Sterility** PCR .