

NCI-H292 | 305040

Description . B L-DOPA ,

Organism

Tissue

Disease

Metastatic site

Synonyms NCI-H292, H-292, NCI-HUT-292, Hut292, NCIH292

Age 32

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H292(305040)

Biosafety level 1

NCBI_TaxID 9606

CellSaurusAccession CVCL_0455

NCI-H292 | 305040

Protein expression , , . H

Tumorigenic

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO₃(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

NCI-H292 | 305040

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C -80°C

/ / HLA

Sterility PCR