

RenCa-IL2 | 400322

<b>Description</b>	RenCa-IL2	RenCa	.	-2(IL-2)
	Balb/c	RenCa	,	. RenCa
	RenCa-IL2	IL-2		

<b>Organism</b>
<b>Tissue</b>

<b>Disease</b>	
<b>Synonyms</b>	RENCA-IL-2

<b>Breed/Subspecies</b>	BALB/c
-------------------------	--------

<b>Age</b>	6
<b>Gender</b>	

<b>Morphology</b>
<b>Growth properties</b>

<b>Citation</b>	RenCa-IL2(	400322)
-----------------	------------	---------

<b>Biosafety level</b>	1
<b>NCBI_TaxID</b>	10090

<b>CellosaurusAccession</b>	CVCL_5944
-----------------------------	-----------

<b>GMO Status</b>	GMO-S1:	-2	,	-2	-2
-------------------	---------	----	---	----	----

**RenCa-IL2 | 400322**

**Tumorigenic** ,

**Products** IL-2

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO<sub>3</sub>( 820700a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Split ratio** 1:4 1:8

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**RenCa-IL2 | 400322**

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere**

37°C, 5% CO<sub>2</sub> .

**Flask Coating**

**Freezing Procedure**

-78°C .

**Shipping Conditions**

-78°C .

**Storage Conditions**

-150°C -196°C .80°C .

/ / HLA

**Sterility**

PCR .

**STR**

**Amelogenin:** x, y