

**HK-CRISPR-CAP-H2-mEGFP | 301569**

**Description** HK-CRISPR-CAP-H2-mEGFP CRISPR-Cas9 . MEGFP CAP-H2 . II .

**Organism**

**Tissue**

**Disease**

**Synonyms** HK-CRISPR-CAP-H2-mEGFP #67, HK CRISPR CAP-H2-mEGFP

**Age** 30

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** HK-CRISPR-CAP-H2-mEGFP( 301569)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_UR45

**Depositor** (EMBL)

**GMO Status** GMO-S1: HeLa Kyoto CAP-H2 CRISPR mEGFP .

**HK-CRISPR-CAP-H2-mEGFP | 301569**

**Products** EGFP( )

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO<sub>3</sub>, w: 1.0mM ( 820300a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

HK-CRISPR-CAP-H2-mEGFP | 301569

**Flask Coating**

**Freezing Procedure**

-78°C

**Shipping Conditions**

-78°C

**Storage Conditions**

-150°C -196°C .80°C

/ / HLA

**Sterility**

PCR