Product sheet

KLN-205 | 400419

Description	KLN-205 . , , . KLN-205 (NSCLC KLN-205 . ,
Organism	
Tissue	
Disease	
Synonyms	KLN 205, KLN205

Breed/Subspecies	DBA/2
Growth properties	

Citation	KLN-205(400419)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_3533

Tumorigenic	, DBA/2 BDF1

Culture Medium	EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS(820100a)

KLN-205 | 400419

Supplements	10% FBS 1% NEAA
Dissociation Reagent	
Subculturing	PBS (T25 3~5ml PBS, T75 5~10ml). TrypLE Express(T25 1-2ml, .
Fluid renewal	2~3
Post-Thaw Recovery	5×10^4 cells/cm^2 , 24 .
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% CO_2, .
Flask Coating	
Freezing Procedure	-78°C . .

KLN-205 | 400419

Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .