

HROC183 T0 M2 | 300810

Description 2006 PD CRC .

Organism

Tissue , UICC IIIb, CRC (, TNM T3N2M0R0L1V0, G3, Lk(n) +12, Σ Lk(n) 12) .

Disease

Synonyms HROC183x

Age 59

Gender

Ethnicity

Morphology

Growth properties

Citation HROC183 T0 M2(300810)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1D17

Protein expression PTEN

HROC183 T0 M2 | 300810

Antigen expression	CD326+, CD44+, CD15+, CD71+, CD73low, CD274+, CD47+, CD54+, CD95+, CD276+, CD133low, CD66acdewweak, IDO+, cFLIP+, MHC-I+, MHCII IFN-γ, EpCAM+		
Tumorigenic	,		
Viruses	SV40, JC/BK, HBV, HCV, HIV .		
Ploidy status			
MSI-status	MSS		
Mutational profile	APCR1450*, p53R280W, K-RasG12d, N-Raswt, H-Raswt, PIK3CAwt, B-Rafwt		
Culture Medium	DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion		
Supplements	10% FBS		
Dissociation Reagent			
Doubling time	29		
Subculturing	PBS	. T25	3~5ml, T75 5~10ml PBS . T25
Seeding density	2 x 10 ⁴ /cm ²		
Fluid renewal	3~5		
Post-Thaw Recovery			
Freeze medium	(FBS) + 10% DMSO ,		CM-1(Cytion 800100)

HROC183 T0 M2 | 300810

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating

.

Freezing Procedure -78°C .

Shipping Conditions

-78°C .

Storage Conditions -150°C -196°C .80°C .

/ / HLA

Sterility PCR .