Product sheet

REH | 300320

Description	REH 1973 15 B (ALL) . B ALL , REH , , B-ALL .
Organism	
Tissue	
Disease	(ALL)
Synonyms	Reh

Age	15
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Citation	REH(300320)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1650

REH | 300320

Antigen expression	CD3 A(17%) B(17%) C(20%), CD4(15%), CD10(55%), CD20+, HLA-DR+, CALA+

Culture Medium	RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	. 5×10^5 /ml , $3 \times 10^5 \sim 1 \times 10^6$ /ml .
Split ratio	1:2 1:4
Fluid renewal	2~3
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
Thawing and Culturing Cells	1. .
	2. -150°C , 3 .
	3. 37°C 40~60 .
	4. , 70% .
	5. 8ml 15ml .
	6. 300 x g 3 .
	7. 10ml . T25 , T25
	8. .

REH | 300320

Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .
STR	**CSF1PO**: 12, 13 **D13S317**: 11, 12, 13 **D16S539**: 9, 10, 13 **D5S818**: 11, 12, 13 **D7S820**: 9,11 **TH01**: 7 **TPOX**: 8 **vWA**: 14, 15 **D3S1358**: 18 **D21S11**: 18 **D18S51**: 10, 13, 14 **Penta E**: 10, 11 **Penta D**: 9, 10, 12 **D8S1179**: 13,16 **FGA**: 22, 23, 24
HLA	**A***: '23:01:01, '32:01:01 **B***: '35:02:01, '50:01:01 **C***: '04:01:01, '06:02:01 **DRB1***: '11:01:01, '12:01:01 **DQA1***: '05:05:01 **DQB1***: '03:01:01 **DPB1***: '04:01:01g, '04:02:01g **E**: '01:01:01, '01:03:05