

KYSE-410 | 305122

Description	KYSE-410	(ESCC)	ESCC
	KYSE-410	. KYSE-410 p16(INK4a)	5' CpG
	KYSE-410	,	.

Organism

Tissue

Disease

Synonyms KYSE 410, KYSE410, Kyse410, KYSE0410

Age 51

Gender

Ethnicity

Morphology

Growth properties

Citation KYSE-410(305122)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1352

KYSE-410 | 305122

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Doubling time 32~45

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO2' .

KYSE-410 | 305122

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR