Product sheet

NCI-H226 | 305091

Description	NCI-H226 (NSCLC), , NSCLC . NCI-H226 NCI-H226 . NCI-H226 NCI-60 .
Organism	
Tissue	
Disease	
Synonyms	NCI-H226, NCI.H226, NCI H226, H-226, HUT-226, HUT 226, NCIH226

Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	NCI-H226(305091)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1544

NCI-H226 | 305091

Culture Medium	RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Fluid renewal	2~3
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	.
Freezing Procedure	-78°C . .

NCI-H226 | 305091

Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .

/ / HLA

Sterility	PCR . , .