

LXF-289 | 300269

Description	LxF-289	63	.	50	2	.	LxF-289	,
	LxF-289					.	LxF-289	7
	LxF-289					.	mRNA	S- (GSTπ)

Organism

Tissue

Disease

Synonyms LxF289, LxF 289, LxF 289L

Age 62

Gender

Ethnicity

Morphology

Growth properties

Citation LxF-289(300269)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1394

LXF-289 | 300269

Tumorigenic ,

Reverse transcriptase

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density 1×10^4 /mL

Fluid renewal 3~5

Post-Thaw Recovery 24~48

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

LXF-289 | 300269

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3
3.	37°C 40~60
4.	, 70%
5.	8ml 15ml
6.	300 x g 3
7.	10ml T25 , T25
8.	.

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating	
	.

Freezing Procedure -78°C

Shipping Conditions	
	-78°C

Storage Conditions -150°C -196°C .80°C

/ / HLA

Sterility	
	PCR
	.