

P3X63Ag8.653 | 400118

Description 8- HAT . . . 3-

Organism

Tissue

Disease

Synonyms P3-x63-Ag8.653, P3-x63-Ag8-653, P3-x63-Ag8 653, P3-x63-Ag 8.653, P3-x63Ag8.653, P3-x63.Ag8.653, P3/x63/Ag8.653, P3x63 Ag8.653, P3x63 AG8-653, P3x63-Ag8.653, P3x63-Ag8.653, P3x63 AG 8.653, P3x63Ag8653, P3-x63-Ag8-6-5-3, P3x63Ag8-6-5-3, P3.times.63 Ag8.653, P3.653, x63-Ag 8.6.5.3, x63-AG 8.653, x63-Ag8-653, x63-Ag8.653, x63.Ag8.653, x63Ag8-653, x63Ag8-653, x63Ag8-653, x63Ag8.653, x63AG8.653, P3-653, GM03570, GM3570, GM03570E, NS653

Breed/Subspecies BALB/c

Gender

Morphology

Growth properties /

Citation P3x63Ag8.653(400118)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_4032

Viruses () .

P3X63Ag8.653 | 400118

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing 15ml PBS (T25 3~5ml, T75 5~10ml).

Seeding density 4×10^4 /mL . 2×10^6 /mL .

Fluid renewal 3~4 .

Post-Thaw Recovery 5×10^4 , 48 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

P3X63Ag8.653 | 400118

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C -80°C

/ / **HLA**

Sterility PCR

STR

- Amelogenin:** x,x
- M_18-3:** 18, 19
- M_4-2:** 3, 21
- M_6-7:** 12
- M_3-2:** 14, 15
- M_19-2:** 13
- M_7-1:** 2, 26, 2, 28
- M_1-1:** 16, 17
- M_8-1:** 13
- M_2-1:** 15, 16
- M_15-3:** 3, 22, 3, 23
- M_6-4:** 18, 19
- M_11-2:** 17, 18
- M_1-2:** 17
- M_17-2:** 16, 18
- M_12-1:** 16
- M_5-5:** 13, 14
- M_X-1:** 25
- M_13-1:** 16.2, 17.2