

Panc02 | 300501

| | | | | |
|--------------------|--------|--------|----------|----------|
| Description | Panc02 | (PDAC) | . Panc02 | C57BL/6 |
| | Panc02 | PDAC | Panc02 | T (Treg) |
| | Panc02 | | . Panc02 | A PDAC |

Organism

Tissue

Disease

Synonyms Panc-02, Panc 02, Pan02, PAN 02, Panc02-H0

Breed/Subspecies C57BL/6

Age

Gender

Growth properties

Citation Panc02(300501)

Biosafety level 1

NCBI_TaxID 10090

CellSaurusAccession CVCL_D627

Panc02 | 300501

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

Freezing Procedure -78°C .

Shipping Conditions -78°C .

Product sheet

Panc02 | 300501

| | | | |
|---------------------------|--------|--------|-------|
| Storage Conditions | -150°C | -196°C | -80°C |
|---------------------------|--------|--------|-------|

/ / **HLA**

| | |
|------------------|-----|
| Sterility | PCR |
|------------------|-----|