

C3H/10T1/2 | 305164

Description C3H/10T1/2, 8 C3H .
. C3H/10T1/2, 8

Organism

Tissue Embryo

Synonyms C3H/10T1/2 8, C3H/10T1/2-clone8, C3H/10T1/2 CL8, C3H10T1/2 8, C3H10T1/2CL8, 10T1/2(8), 10T1/2, C3H10T1/2, C3H10T1/2, C3H 10T1/2, C3H/10T1/2, C3H/10T1/2, C3H10T1/2

Breed/Subspecies C3H

Age Embryo

Morphology

Growth properties

Citation C3H/10T1/2, 8(305164)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_0190

Tumorigenic

C3H/10T1/2 | 305164

Culture Medium BME, w: 4.5g/L , w: 4mM L- , w: 1.5g/L NaHCO3, w: 1.0mM (BME)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

Freezing Procedure -78°C .

C3H/10T1/2 | 305164

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C

-196°C

-80°C

/

/ HLA

Sterility

PCR