

1-6 | 400474

Description	Hepa 1-6	.	,	.
	Hepa 1-6	.		P450

Organism

Tissue

Disease

Synonyms	1-6,	1-6,	1-6
-----------------	------	------	-----

Breed/Subspecies	C57/L
-------------------------	-------

Gender

Morphology

Growth properties

Citation	Hepa 1-6(400474)
-----------------	-----------	---------

Biosafety level	1
------------------------	---

NCBI_TaxID	10090
-------------------	-------

CellosaurusAccession	CVCL_0327
-----------------------------	-----------

Tumorigenic	, C57BL/6	.
--------------------	-----------	---

1-6 | 400474

Viruses (): .

Products , (AFP,), , (-1-),

Culture Medium DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion 820

Supplements 10% FBS

Dissociation Reagent

Doubling time 25

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 2~3

Post-Thaw Recovery . 24~48 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

1-6 | 400474

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere

37°C, 5% CO₂ .

Flask Coating

.

Freezing Procedure

-78°C .

Shipping Conditions

-78°C .

Storage Conditions

-150°C -196°C .80°C .

/ / HLA

Sterility

PCR .

,

.