

-2a | 400394

Description	N2A	Neuro-2a
	2a					
	N2A		.	, DNA		DNMT3A
	,	Neuro-2a(N2A)	,			

Organism

Disease

Synonyms NEURO-2A, Neuro 2a, Neuro2a, Neuro2A, N-2a, N2a, N2A, Nb2a, NB2a

Breed/Subspecies A/J

Cell type

Growth properties

Citation Neuro-2a(400394)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_0470

Antigen expression H-2a

Viruses ():

-2a | 400394

Virus resistance 1

Reverse transcriptase

Products ,

Culture Medium EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS(820100a)

Supplements 10% FBS 1% NEAA

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 1~2

Post-Thaw Recovery $4 \times 5 \times 10^2$, 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

-2a | 400394

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	.

Incubation Atmosphere

37°C, 5% CO₂' .

Flask Coating	
	.

Freezing Procedure

-78°C .

Shipping Conditions	
	-78°C .

Storage Conditions

-150°C -196°C .80°C .

/ / HLA

Sterility	
	PCR .
	.