

DSL-6A-C1 | 500166

Description	DSL-6A/C1	DSL-6
	DSL-6A/C1	

Organism

Tissue

Disease

Metastatic site

Synonyms	DSL-6A/C1, DSL6A/C1
-----------------	---------------------

Breed/Subspecies

Age	2
------------	---

Gender

Morphology

Cell type

Growth properties

Citation	DSL-6A-C1(500166)
-----------------	------------	---------

Biosafety level	1
------------------------	---

NCBI_TaxID	10116
-------------------	-------

CellosaurusAccession	CVCL_4166
-----------------------------	-----------

DSL-6A-C1 | 500166

Tumorigenic ,

Culture Medium ()

Supplements 10% FBS, 2.0mM L-

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 2

Post-Thaw Recovery $5 \times 10^4 / \text{cm}^2$, 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

DSL-6A-C1 | 500166

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3
3.	37°C 40~60
4.	, 70%
5.	8ml 15ml
6.	300 x g 3
7.	10ml T25 , T25
8.	.

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating	
	.

Freezing Procedure -78°C

Shipping Conditions	
	-78°C

Storage Conditions -150°C -196°C .80°C

/ / HLA

Sterility	
	PCR
	.