

SNU-182 | 305119

Description

SNU-182

(HCC)

SNU-182

(AFP)

182

Organism

Tissue

Disease

Synonyms

SNU182, NCI-SNU-182

Age

24

Gender

Ethnicity

Morphology

Growth properties

Citation

SNU-182(305119)

Biosafety level

1

NCBI_TaxID

9606

CellosaurusAccession

CVCL_0090

SNU-182 | 305119

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Doubling time 46

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Split ratio 1:3 ~ 1:6

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

Product sheet

SNU-182 | 305119

Flask Coating

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C .80°C

/ / HLA

Sterility PCR