

C6 | 500142

Description	C6	Wistar-Furth	N-
	C6		3D
	C6	p53, Rb, p16/Cdkn2a/Ink4a	p16 p19ARF mRNA
		IGF-2, FGF-9, FGF-10	MMP-7
	C6	, 2-(2,4-	-1,3- -4- (BChTT)
	C6	(Usnea barbata)	CO2 (SCE)

Organism

Tissue

Disease

Synonyms	C-6, C 6, RGC-6, RGC6, RGc6
-----------------	-----------------------------

Age

Gender

Morphology

Cell type

Growth properties

Citation	C6(500142)
-----------------	-------------

Biosafety level	1
------------------------	---

NCBI_TaxID	10116
-------------------	-------

C6 | 500142

CellosaurusAccession CVCL_0194

Receptors expressed

Viruses LCMV

Virus susceptibility (), ,

Virus resistance 3

Reverse transcriptase

Products S-100 , , .

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO₃(820700a)

Supplements 10% FBS

Dissociation Reagent

Doubling time 24

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density 1 x 10⁴ /cm² 4 .

Fluid renewal 2~3

Post-Thaw Recovery 5 x 10⁴ , 24 .

C6 | 500142

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating

Freezing Procedure -78°C .

Shipping Conditions

-78°C .

Storage Conditions -150°C -196°C .80°C .

/ / HLA

C6 | 500142

Sterility

PCR