

SF126 | 300608

<b>Description</b>	SF126	,	,	.	SF126
	SF126		p53	.	SF126 p53
	SF126	β-		.	

<b>Organism</b>	
<b>Tissue</b>	,

<b>Disease</b>	
----------------	--

<b>Applications</b>	
---------------------	--

<b>Synonyms</b>	SF-126, SF 126
-----------------	----------------

<b>Age</b>	50
------------	----

<b>Gender</b>	
---------------	--

<b>Ethnicity</b>	
------------------	--

<b>Growth properties</b>	
--------------------------	--

<b>Citation</b>	SF126( 300608)
-----------------	----------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_1688
-----------------------------	-----------

SF126 | 300608

**Tumorigenic** ( )

**Products** III, ( )

**Ploidy status**

**Culture Medium** EMEM(MEM ), w: 2mM L- , w: 2.2g/L NaHCO<sub>3</sub>, w: EBSS( 820100a)

**Supplements** 10% FBS 1% NEAA

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Freeze medium** 50% + 40% FBS + 10% DMSO CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
  2. -150°C , 3 .
  3. 37°C 40~60 .
  4. , 70% .
  5. 8ml 15ml .
  6. 300 x g 3 .
  7. 10ml . T25 , T25
  8. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

SF126 | 300608

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR