

SW-403 | 300350

**Description** SW-403 . , SW-403  
SW-403 . SW-403 DNA  
SW-403 , .

**Organism**

**Tissue**

**Disease**

**Synonyms** SW403, SW 403

**Age** 51

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** SW-403( 300350)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_0545

SW-403 | 300350

**Antigen expression** 3, . .CSAp (CSAp-).

**Isoenzymes** G6PD, B, PGM1, 1, PGM3, 1-2, 6PGD, A, ES-D, 1, PEP-D, 1

**Tumorigenic** ,

**Reverse transcriptase**

**Products** (CEA) 155ng/10 exp6 /10 ,

**Mutational profile** SW-403 12 (GGT>GTT)

**Culture Medium** F12, w: 1.0mM , w: 1.0mM , w: 1.1g/L NaHCO3( 820600a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 1~2

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

SW-403 | 300350

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	.

**Incubation Atmosphere**

37°C, 5% CO<sub>2</sub>

Flask Coating	
	.

**Freezing Procedure**

-78°C

Shipping Conditions	
	-78°C .

**Storage Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility	
	PCR .
	.

SW-403 | 300350

---

**HLA**

**A\***: '02:05:01, '03:01:01

**B\***: '07:02:01, '49:01:01

**C\***: '07:01:01, '07:02:01

**DRB1\***: '04:01:01, '04:05:01

**DQA1\***: '03:03:01

**DQB1\***: '03:01:01, '03:02:01

**DPB1\***: '04:01:01

**E**: '01:03:02, '01:03:05