

HK Mad2-LAP/H2B-m | 300920

<b>Description</b>	HK Mad2-LAP/H2B-mCherry
	H2B mCherry H2B-mCherry HK Mad2-LAP/H2B-mCher

<b>Organism</b>
-----------------

<b>Tissue</b>
---------------

<b>Disease</b>
----------------

<b>Synonyms</b>	Mad2-LAP H2B-m , Mad2-LAP
-----------------	---------------------------

<b>Age</b>	30
------------	----

<b>Gender</b>
---------------

<b>Ethnicity</b>
------------------

<b>Morphology</b>
-------------------

<b>Growth properties</b>
--------------------------

<b>Citation</b>	HK Mad2-LAP/H2B-mCherry( 300920)
-----------------	----------------------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_1D65
-----------------------------	-----------

<b>Depositor</b>	(EMBL)
------------------	--------

<b>GMO Status</b>	GMO-S1: HeLa Kyoto Mad2-LAP H2B-mCherry
-------------------	-----------------------------------------

**HK Mad2-LAP/H2B-m** | **300920**

**Protein expression** Mad2-LAP/H2B-mCherry

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM ( 820300a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Seeding density**  $1 \times 10^4 / \text{cm}^2$

**Fluid renewal** 2~3

**Post-Thaw Recovery**  $5 \times 10^4$  , 24 .

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

HK Mad2-LAP/H2B-m | 300920

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

**Flask Coating**

**Freezing Procedure** -78°C . . . . .

**Shipping Conditions** -78°C . . . . .

**Storage Conditions** -150°C -196°C .80°C . . . . .

/ / HLA

**Sterility** PCR . . . . .