Product sheet

FS-C3H | 400418

Description	C3H/HeJ FS-C3H . (LPS) FS-C3H LPS LPS . LPS C(PKC FS-C3H LPS , Lpsn . LPS
Organism	
Tissue	
Disease	
Breed/Subspecies	C3H
Growth properties	
Citation	FS-C3H(400418)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5755
Culture Medium	DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)
Supplements	10% FBS

Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Seeding density	2 x 10^4 /cm^2
Fluid renewal	2~3
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	
Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .

FS-C3H | 400418

Storage Conditions	-150°C -196°C . 80°C .

Sterility	PCR . , .