

-26 | 400156

**Description**

Colon-26 N- -N- (NMU) BALB/c  
-26 , .

**Organism**

**Tissue**

**Disease**

**Synonyms**

MC-26, MC26, 26, 26, C-26, C26

**Age**

6

**Gender**

**Morphology**

**Growth properties**

**Citation**

Colon-26( 400156)

**Biosafety level**

1

**NCBI\_TaxID**

10090

**CellosaurusAccession**

CVCL\_0240

**Tumorigenic**

Balb/c

-26 | 400156

<b>Viruses</b>	MAP : , , , K- , , 3, PVM, LCM, M. , MVM, GD VII, H-1, MHV, LDV, RCV/SDA, M-
<b>Culture Medium</b>	RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)
<b>Supplements</b>	10% FBS
<b>Dissociation Reagent</b>	
<b>Doubling time</b>	15~20
<b>Subculturing</b>	PBS . T25 3~5ml, T75 5~10ml PBS . T25
<b>Seeding density</b>	$1 \times 10^4 / \text{cm}^2$ 4 .
<b>Fluid renewal</b>	2~3
<b>Post-Thaw Recovery</b>	$5 \times 10^4 / \text{cm}^2$ , 24 .
<b>Freeze medium</b>	(FBS ) + 10% DMSO , CM-1(Cytion 800100)

-26 | 400156

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere**

37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure**

-78°C

**Shipping Conditions**

-78°C

**Storage Conditions**

-150°C -196°C .80°C

/ / HLA

**Sterility**

PCR