

-26 | 400156

Description

Colon-26 N- -N- (NMU) BALB/c
-26 , .

Organism

Tissue

Disease

Synonyms

MC-26, MC26, 26, 26, C-26, C26

Age

6

Gender

Morphology

Growth properties

Citation

Colon-26(400156)

Biosafety level

1

NCBI_TaxID

10090

CellosaurusAccession

CVCL_0240

Tumorigenic

Balb/c

-26 | 400156

Viruses	MAP : , , , K- , , 3, PVM, LCM, M. , MVM, GD VII, H-1, MHV, LDV, RCV/SDA, M-
Culture Medium	RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)
Supplements	10% FBS
Dissociation Reagent	
Doubling time	15~20
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Seeding density	$1 \times 10^4 / \text{cm}^2$ 4 .
Fluid renewal	2~3
Post-Thaw Recovery	$5 \times 10^4 / \text{cm}^2$, 24 .
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)

-26 | 400156

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating

Freezing Procedure -78°C .

Shipping Conditions

-78°C .

Storage Conditions -150°C -196°C .80°C .

/ / HLA

Sterility PCR .