

HROC285 T0 M2 | 300817

Description 2006 PD CRC .

Organism

Tissue , UICC IV, CRC (, TNM T4N2M1R2L1V0, G2, Lk(n) +5, Σ Lk(n) 20) .

Disease

Synonyms HROC285

Age 30

Gender

Ethnicity

Morphology

Growth properties

Citation HROC285 T0 M2(300817)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1U92

Protein expression PTEN

HROC285 T0 M2 | 300817

Tumorigenic			
Viruses	SV40, JC/BK, HBV, HCV, HIV		
MSI-status	MSI-H		
Mutational profile	K-, N-, H-, PIK3CAmut, B-, EPCAM, MSH2 1-6		
Culture Medium	DMEM: F12(1:1), w: 3.1 g/L, w: 2.5mM L-, w: 15mM HEPES, w: 0.5mM, w: 1.2 g/L NaHCO3 (Cytion		
Supplements	10% FBS		
Dissociation Reagent			
Doubling time	29		
Subculturing	PBS	T25	3~5ml, T75 5~10ml PBS T25
Seeding density	2 x 10 ⁴ /cm ²		
Fluid renewal	3~5		
Post-Thaw Recovery			
Freeze medium	(FBS) + 10% DMSO		CM-1(Cytion 800100)

HROC285 T0 M2 | 300817

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere

37°C, 5% CO₂ .

Flask Coating

.

Freezing Procedure

-78°C .

Shipping Conditions

-78°C .

Storage Conditions

-150°C -196°C .80°C .

/ / HLA

Sterility

PCR .

,

.