

HK EGFP- - | 300674

Description

HK EGFP- -

Organism

Tissue

Disease

Synonyms

EGFP -b, - EGFP

Age

30

Gender

Ethnicity

Morphology

Growth properties

Citation

HK EGFP- - (300674)

Biosafety level

1

NCBI_TaxID

9606

CellosaurusAccession

CVCL_1D64

Depositor

(EMBL)

GMO Status

GMO-S1: HeLa Kyoto

EGFP- -

HK EGFP- - | 300674

Protein expression EGFP- -β: / : 1..589 / Pcmv, 619..645 / , 661.1368 / GFP, 1393..3206 / , 4474..5268 KanR/NeoR

Culture Medium DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 2~3

Post-Thaw Recovery 5×10^4 , 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

HK EGFP- - | 300674

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere

37°C, 5% CO₂ .

Flask Coating

Freezing Procedure

-78°C .

Shipping Conditions

-78°C .

Storage Conditions

-150°C -196°C .80°C .

/ / HLA

Sterility

PCR .