

HBL-52 | 300188

Description	HBL-52	1	.	.
			HBL-52	HBL-52

Organism

Tissue

Disease

Synonyms	HBL 52
-----------------	--------

Age	47
------------	----

Gender

Morphology

Growth properties

Citation	HBL-52(300188)
-----------------	---------	---------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_4220
-----------------------------	-----------

Protein expression	DP()+, PG()+, PP1 -, PP2 +, PP3 - (PP=), Dsc1 -, Dsc2 +, Dsc3 + (Dsc=), Dsg1 -, Dsg2 +, Dsg3 - (Dsg=)
	PGP2+ .

HBL-52 | 300188

Culture Medium 5a, w: 3.0g/L , w: , w: 2.0mM , w: 2.2g/L NaHCO3(820200a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $5 \times 10^3 / \text{cm}^2$ $4 \times 10^3 / \text{cm}^2$ $9 \times 10^3 / \text{cm}^2$

Fluid renewal 2~3

Post-Thaw Recovery 24 48

Freeze medium 50% + 40% FBS + 10% DMSO CM-1(Cytion 800100)

Thawing and Culturing Cells

- 1.
2. -150°C , 3
3. 37°C 40~60
4. , 70%
5. 8ml 15ml
6. 300 x g 3
7. 10ml T25 , T25
- 8.

HBL-52 | 300188

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C -80°C

/ / HLA

Sterility PCR