Product sheet

MCA-3D | 400437

Description	MCA-3D . N- -N'- -N- (MNNG) 7,12- [a] MCA-3D . MCA-3D MCA-3D Balb/c , . MCA-3D MCA-3D .
Organism	
Tissue	
Synonyms	MCA3D, MCa3D, MCA/3D, MCA 3D
Breed/Subspecies	BALB/c
Gender	
Cell type	
Growth properties	
Citation	MCA-3D(400437)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5797

MCA-3D | 400437

Culture Medium	F12, w: 1.0mM , w: 1.0mM , w: 1.1g/L NaHCO3(820600a)
Supplements	10% FBS
Dissociation Reagent	TrypLE
Subculturing	PBS (T25 3-5ml PBS, T75 5-10ml). TrypleExpress(T25 1-2ml, T7 .
Seeding density	0.5~1 × 10^4 /cm^2
Fluid renewal	2~3
Post-Thaw Recovery	5×10^4/cm^2 , 24 .
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .

MCA-3D | 400437

Flask Coating	
Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .